



Smith & Wesson

# Handguns



# Handguns

Smith & Wesson handguns have been the choice of discriminating shooters since 1852. The reason is quality. Quality built into each gun from inspection of raw material through each step of manufacture to test firing. Barrels are microhoned and mirror finished for outstanding bullet performance and accuracy. And, of course, you can rely on that smooth S&W double action shot after shot, as well as the crisp single action demanded for long range accuracy.



**Model No. 10**  
**.38 Military & Police**

**Frame:** K  
**Caliber:** .38 S&W Special.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 2, 4, 5 or 6 inches.  
**Length Overall:** With 4-inch barrel, 9¼ inches.  
**Weight:** With 4-inch barrel, 30½ oz.  
**Sights:** Front: Fixed ⅛-inch serrated ramp. Rear: Square notch.  
**Stocks:** Checked walnut Service with S&W monograms, round or square butt.  
**Finish:** S&W Blue or Nickel.




**Model No. 10**  
**.38 Military & Police**  
**Heavy Barrel**

**Frame:** K  
**Caliber:** .38 S&W Special.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 4 inches.  
**Length Overall:** 9¼ inches.  
**Weight:** 34 oz.  
**Sights:** Front: ⅛-inch serrated ramp. Rear: Square notch.  
**Stocks:** Checked walnut Service with S&W monograms, square butt.  
**Finish:** S&W Blue or Nickel.



**Model No. 12**  
**.38 Military & Police**  
**Airweight®**

**Frame:** K  
**Caliber:** .38 S&W Special  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 2 or 4 inches.  
**Length Overall:** With 2-inch barrel and round butt, 6⅞ inches.  
**Weight:** With 2-inch barrel and round butt, 18 oz.  
**Sights:** Front: Fixed ⅛-inch serrated ramp. Rear: Square notch.  
**Stocks:** Checked walnut Service with S&W monograms, round or square butt.  
**Finish:** S&W Blue or Nickel.



**Model No. 13**  
**.357 Military & Police**  
**Heavy Barrel**

**Frame:** K  
**Caliber:** .357 Magnum and .38 S&W Special  
**Rounds:** 6 shot cylinder capacity  
**Barrel:** 4 inches  
**Length Overall:** 9¼ inches  
**Weight:** 34 oz.  
**Sights:** Front: ⅛-inch serrated ramp. Rear: Square notch  
**Stocks:** Checked walnut Service with S&W monograms, square butt.  
**Finish:** S&W Blue or Nickel




**Model No. 14**  
**K-38 Masterpiece**

**Frame:** K  
**Caliber:** .38 S&W Special.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 6, 8⅝ inches.  
**Length Overall:** With 6-inch barrel, 11⅞ inches.  
**Weight Loaded:** With 6-inch barrel, 38½ oz; 8⅝-inch, 42½ oz.  
**Sights:** Front: ⅛-inch plain Patridge. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation.  
**Stocks:** Checked walnut Service with S&W monograms.  
**Finish:** S&W Blue.

**Model No. 14**  
**Masterpiece Single Action**

Complete with target hammer and target trigger. All other specs. same as Model 14. Not Illustrated.



**Model No. 15**  
**Combat Masterpiece**

**Frame:** K  
**Caliber:** .38 S&W Special.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 2, 4 inches.  
**Length Overall:** 9⅞ inches.  
**Weight Loaded:** 34 oz. with 4-inch barrel.  
**Sights:** Front: ⅛-inch Baughman Quick Draw on plain ramp. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation.  
**Stocks:** Checked walnut Service with S&W monograms.  
**Finish:** S&W Blue or Nickel.




**Model No. 17**  
**K-22 Masterpiece**

**Frame:** K  
**Caliber:** .22 Long Rifle.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 6, 8¾ inches.  
**Length Overall:** With 6-inch barrel, 11⅞ inches.  
**Weight Loaded:** With 6-inch barrel, 38½ oz.; 8¾-inch, 42½ oz.  
**Sights:** Front: ⅛-inch plain Patridge. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation.  
**Stocks:** Checked walnut Service with S&W monograms.  
**Finish:** S&W Blue.




**Model No. 18**  
**.22 Combat Masterpiece**

**Frame:** K  
**Caliber:** .22 Long Rifle.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 4 inches.  
**Length Overall:** 9⅞ inches.  
**Weight Loaded:** 36½ oz.  
**Sights:** Front: ⅛-inch Baughman Quick Draw on plain ramp. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation.  
**Stocks:** Checked walnut Service with S&W monograms.  
**Finish:** S&W Blue.




**Model No. 19**  
**.357 Combat Magnum®**

**Frame:** K  
**Caliber:** .357 Magnum and .38 S&W Special.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 2½-inch (round butt), 4, 6 inches.  
**Length Overall:** 9½ inches with 4-inch barrel, 7½ inches with 2½ inches.  
**Weight:** 35 oz. with 4-barrel, 31 oz. with 2½ inches.  
**Sights:** Front: ⅛ Baughman Quick Draw on 2½-inch, 4-inch barrel, ⅛-inch Patridge on 6-inch barrel. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation.  
**Stocks:** Checked Goncalo Alves Target with S&W monograms for 4 and 6 inch barrel, round butt service stocks for 2½-inch barrel  
**Finish:** S&W Bright Blue or Nickel.



**Model No. 25**  
**1955 .45 Target**

**Frame:** N  
**Caliber:** .45 A. C. P.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 6½ inches.  
**Length Overall:** 11⅞ inches.  
**Weight:** 45 oz.  
**Sights:** Front: ⅛-inch plain Patridge. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation.  
**Stocks:** Checked walnut Target with S&W monograms.  
**Hammer:** Checked target type.  
**Trigger:** Grooved target type.  
**Finish:** S&W Blue.




**Model No. 27**  
**.357 Magnum®**

**Frame:** N  
**Caliber:** .357 Magnum and .38 S&W Special.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 3½, 5, 6, 8⅜ inches.  
**Length Overall:** With 6-inch barrel, 11¼ inches.  
**Weight:** With 3½-inch barrel, 41 oz.; 5-inch, 42½ oz.; 6-inch, 44 oz.; 8⅜-inch, 47 oz.  
**Sights:** Front: Choice of any S&W target sight. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation.  
**Stocks:** Checked walnut Service with S&W monograms.  
**Frame:** Finely checked top strap and barrel rib.  
**Finish:** S&W Bright Blue or Nickel.



**Model No. 28**  
**.357 Highway Patrolman®**

**Frame:** N  
**Caliber:** .357 Magnum and .38 S&W Special.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 4, 6 inches.  
**Length Overall:** With 6-inch barrel, 11¼ inches.  
**Weight:** With 4-inch barrel, 41¾ oz.; 6-inch, 44 oz.  
**Sights:** Front: ⅛-inch Baughman Quick Draw on plain ramp. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation.  
**Stocks:** Checked walnut Service with S&W monograms (Walnut Target stocks at additional cost).  
**Finish:** S&W Satin Blue with sandblast stippling on barrel rib and frame edging.




**Model No. 29**  
**.44 Magnum®**

**Frame:** N  
**Caliber:** .44 Magnum.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 4, 6½, 8⅜ inches.  
**Length Overall:** With 6½-inch barrel, 11⅞ inches.  
**Weight:** With 4-inch barrel, 43 oz.; 6½-inch, 47 oz.; 8⅜-inch, 51½ oz.  
**Sights:** Front: ⅛-inch S&W Red Ramp. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation. White Outline notch.  
**Stocks:** Special oversize Target type of checked Goncalo Alves, with S&W monograms.  
**Hammer:** Checked target type.  
**Trigger:** Grooved target type.  
**Finish:** S&W Bright Blue or Nickel.



**Model No. 30**  
**.32 Hand Ejector**

**Frame:** J  
**Caliber:** .32 S&W Long.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 2, 3 or 4 inches.  
**Length Overall:** With 4-inch barrel, 8 inches.  
**Weight:** With 4-inch barrel, 18 oz.  
**Sights:** Front: Fixed, 1/10-inch serrated ramp. Rear: Square notch.  
**Stocks:** Checked walnut Service with S&W monograms.  
**Finish:** S&W Blue or Nickel.



**Model No. 31**  
**32 Regulation Police**

**Frame:** J  
**Caliber:** .32 S&W Long.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 2, 3 or 4 inches.  
**Length Overall:** With 4-inch barrel, 8½ inches.  
**Weight:** With 4-inch barrel, 18¾ oz.  
**Sights:** Front: Fixed, 1/10-inch serrated ramp. Rear: Square notch.  
**Stocks:** Checked walnut Service with S&W monograms.  
**Finish:** S&W Blue or Nickel.



**Model No. 34**  
**1953 .22/32 Kit Gun®**

**Frame:** J  
**Caliber:** .22 Long Rifle.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 2, 4 inches.  
**Length Overall:** With 4-inch barrel and round butt, 8 inches.  
**Weight:** With 4-inch barrel and round butt, 24¼ oz.  
**Sights:** Front: Fixed, 1/10-inch serrated ramp. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation.  
**Stocks:** Checked walnut Service with S&W monograms, round or square butt.  
**Finish:** S&W Blue or Nickel.



**Model No. 36**  
**.38 Chiefs Special**

**Frame:** J  
**Caliber:** .38 S&W Special.  
**Rounds:** 5 shot cylinder capacity.  
**Barrel:** 2 or 3 inches.  
**Length Overall:** With 2-inch barrel and round butt, 6½ inches.  
**Weight:** With 2-inch barrel and round butt, 19 oz.  
**Sights:** Front: Fixed, 1/10-inch serrated ramp. Rear: Square notch.  
**Stocks:** Checked walnut Service with S&W monograms, round or square butt.  
**Finish:** S&W Blue or Nickel.

**Model No. 37**  
**.38 Chiefs Special Airweight®**

Weight 14 oz. — Not Illustrated. All other specs. same as Model 36.




**Model No. 38  
.38 Bodyguard Airweight®**

**Frame:** J  
**Caliber:** .38 S&W Special.  
**Rounds:** 5 shot cylinder capacity.  
**Barrel:** 2 inches.  
**Length Overall:** 6¾ inches.  
**Weight:** 14½ oz.  
**Sights:** Front: Fixed, 1/10-inch serrated ramp. Rear: Square notch.  
**Stocks:** Checked walnut Service with S&W monograms.  
**Finish:** S&W Blue or Nickel.



**Model No. 39  
9mm Autoloading Pistol  
(Double Action)**

**Caliber:** 9mm Luger and Parabellum.  
**Magazine Capacity:** Two eight-round magazines furnished.  
**Barrel:** 4 inches.  
**Length Overall:** 7-7/16 inches.  
**Weight:** 26½ oz. without magazine.  
**Sights:** Front: ⅛-inch serrated ramp. Rear: Square notch with Micrometer Click adjustment for windage only.  
**Stocks:** Checked walnut with S&W monograms.  
**Finish:** S&W Blue or Nickel.




**Model No. 41  
.22 Autoloading Pistol**

**Caliber:** .22 Long Rifle.  
**Magazine Capacity:** One ten-round magazine furnished.  
**Barrel:** 7¾ inches.  
**Length Overall:** With 7¾-inch barrel, 12 inches.  
**Sight Radius:** With 7¾-inch barrel, 9-5/16 inches.  
**Weight:** With 7¾-inch barrel, 43½ oz.  
**Sights:** Front: ⅛-inch Patridge undercut. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation.  
**Stocks:** Checked walnut with modified thumb rest, equally adaptable to right- or left-handed shooters.  
**Finish:** S&W Bright Blue.  
**Trigger:** ⅜-inch width, with S&W grooving and an adjustable trigger stop.  
**Muzzle Brake:** Detachable (7¾-inch barrel only).



**Model No. 41  
.22 Autoloading Pistol  
(5½-inch Heavy Barrel)**

**Caliber:** .22 Long Rifle.  
**Magazine Capacity:** One ten-round magazine furnished.  
**Barrel:** 5½ inches.  
**Length Overall:** 9 inches.  
**Sight Radius:** 8 inches.  
**Weight:** 44½ oz.  
**Sights:** Front: ⅛-inch Patridge undercut on ramp base. Rear: New S&W Micrometer Click Sight with wide ⅞-inch sight slide.  
**Stocks:** Checked walnut with modified thumb rest, equally adaptable to right- or left-handed shooters.  
**Finish:** S&W Bright Blue.  
**Trigger:** ⅜-inch width, with S&W grooving and an adjustable trigger stop.



**Model No. 48  
K-22 Masterpiece  
M.R.F.**

**Frame:** K  
**Caliber:** .22 Magnum Rim Fire.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 4, 6, 8¾ inches.  
**Length Overall:** With 6-inch barrel, 11⅞ inches.  
**Weight:** With 6-inch barrel, 39 oz.  
**Sights:** Front: ⅛-inch plain Patridge. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation.  
**Stocks:** Checked walnut Service with S&W monograms.  
**Finish:** S&W Blue.  
**Note:** Auxiliary Cylinder available in .22 L.R.

**Model No. 49  
.38 Bodyguard**


Weight 20½ oz. — Not Illustrated. All other specs. same as Model 38.



**Model No. 52  
.38 Master**


**Caliber:** .38 S&W Special Mid Range Wadcutter.  
**Magazine Capacity:** Two five-round magazines furnished.  
**Barrel:** 5 inches.  
**Length Overall:** 8½ inches.  
**Sight Radius:** 6-15/16 inches.  
**Weight:** 41 oz. with empty magazine.  
**Sights:** Front: ⅛-inch Patridge on ramp base. Rear: New S&W Micrometer Click Sight with wide ⅞-inch sight slide.

**Stocks:** Checked walnut with S&W monograms.  
**Finish:** S&W Bright Blue with sandblast stippling around sighting area to break up light reflection.  
**Trigger:** ⅜-inch width, with S&W grooving and an adjustable trigger stop.



**Model No. 57  
.41 Magnum®**

**Frame:** N  
**Caliber:** .41 Magnum.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 4, 6, 8¾ inches.  
**Length Overall:** With 6-inch barrel, 11¾ inches.  
**Weight:** With 6-inch barrel, 48 oz.  
**Sights:** Front: ⅛-inch S&W Red Ramp. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation. White Outline notch.  
**Stocks:** Special oversize Target type of checked Goncalo Alves, with S&W monograms.  
**Hammer:** Checked target type.  
**Trigger:** Grooved target type.  
**Finish:** S&W Bright Blue or Nickel.



**Model No. 58  
.41 Military & Police**

**Frame:** N  
**Caliber:** .41  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 4 inches.  
**Length Overall:** 9¼ inches.  
**Weight:** 41 oz.  
**Sights:** Front: Fixed, ⅛-inch serrated ramp. Rear: Square notch.  
**Stocks:** Checked walnut Service with S&W monograms.  
**Finish:** S&W Blue or Nickel.




**Model No. 59  
9mm-14 Shot Autoloading  
Pistol**

**Caliber:** 9mm Luger and Parabellum.  
**Magazine Capacity:** Two fourteen-round magazines furnished.  
**Barrel:** 4 inches.  
**Length Overall:** 7-7/16 inches.  
**Weight:** 27 oz. without magazine.  
**Sights:** Front: ⅛-inch serrated ramp. Rear: Square notch with Micrometer Click adjustment for windage only.  
**Stocks:** Checked high impact molded nylon.  
**Finish:** S&W Blue or Nickel.

## Stainless Steel Handguns.

### Model No. 60 .38 Chiefs Special Stainless

**Frame:** J  
**Caliber:** .38 S&W Special.  
**Rounds:** 5 shot cylinder capacity.  
**Barrel:** 2 inches.  
**Length Overall:** 6½ inches.  
**Weight:** 19 oz.  
**Sights:** Front: Fixed, 1/10-inch serrated ramp. Rear: Square notch.  
**Stocks:** Checked walnut Service with S&W monograms.  
**Finish:** Satin.



### Model No. 64 .38 Military & Police Stainless Heavy Barrel


**Frame:** K  
**Caliber:** .38 S&W Special.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 2-inch regular barrel, round butt.  
4-inch heavy barrel, square butt.  
**Length Overall:** With 4-inch barrel, 9¼ inches.  
**Weight:** With 4-inch barrel, 34 oz.



**Sights:** Fixed, ⅛-inch serrated ramp front; square notch rear.  
**Stocks:** Checked walnut Service with S&W monograms. Square butt.  
**Finish:** Satin.


### Model No. 65 .357 Military & Police Stainless Heavy Barrel

**Frame:** K  
**Caliber:** .357 Magnum and .38 S&W Special.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 4-inch heavy barrel.  
**Length Overall:** With 4-inch barrel, 9¼ inches.  
**Weight:** With 4-inch barrel, 34 oz.  
**Sights:** Fixed, ⅛-inch serrated ramp front; square notch rear.  
**Stocks:** Checked walnut Service with S&W monograms, square butt.  
**Finish:** Satin.



### Model No. 66 .357 Combat Magnum® Stainless

**Frame:** K  
**Caliber:** .357 Magnum and .38 S&W Special.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 2½ inches with round butt.  
4 inches with square butt.  
**Length Overall:** 9½ inch with 4-inch barrel.  
**Weight:** With 4-inch barrel, 35 oz.



**Sights:** Front: ⅛-inch Baughman Quick Draw on plain ramp. Rear: S&W Micrometer Click Sight, adjustable for windage and elevation.

**Stocks:** Checked Goncalo Alves Target with square butt with S&W monograms.  
**Finish:** Satin.

### Model No. 67 .38 Combat Masterpiece Stainless

**Frame:** K  
**Caliber:** .38 S&W Special.  
**Rounds:** 6 shot cylinder capacity.  
**Barrel:** 4 inches.  
**Length Overall:** 9½ inches with 4-inch barrel.  
**Weight Loaded:** 34 oz. with 4-inch barrel.  
**Sights:** Front: ⅛-inch Baughman Quick Draw on plain ramp. Rear: S&W Micrometer Click Sights, adjustable for windage and elevation.  
**Stocks:** Checked walnut Service with S&W monograms. Square butt.  
**Finish:** Satin.



## Engraving

Smith & Wesson engraving is available on any model handgun. Each engraving is a unique, original work of art, created and executed by skilled artisans.

The photograph illustrates examples of the three basic classes of engravings which are available. Class A engraving provides full coverage over the whole gun. Class B provides ⅔ coverage and Class C ⅓ coverage.

The Texas Ranger Commemorative illustrated is an example of custom engraving that goes beyond Class A coverage. Virtually any type of custom design, from two or three initials, to duplicates of seals or emblems to profuse inlaying with platinum and gold, is also available.







# Smith & Wesson

A Bangor Punta Company

2100 Roosevelt Avenue,  
Springfield, Massachusetts 01101  
(413) 736-0323



## Accessories

**Target Stocks.** S&W target stocks are longer, thicker and more hand filling. They position the hand lower on the gun to provide a more precise alignment of trigger finger to the trigger to allow a straight back and down pull on the hammer in single action fire. The large area of contact with the hand minimizes recoil. Available in walnut with checkering or in colorfully grained Rosewood and Goncalo Alves, either plain or checked.

**Target Hammers.** Available for both large (N) and medium (K) frame revolvers, S&W target hammers have low, full 1/2-inch wide, deeply checked spurs to provide maximum nonslip thumb control for single action timed and rapid fire.

**Target Triggers.** S&W target triggers feature a finger place that is swaged to the maximum possible width. (A full 1/2-inch on large (N) and medium (K) frame models and .400 inch on small (J) frame models). The large area of contact with the trigger finger minimizes trigger pull. Smooth combat triggers are available for (K) and (N) frame revolvers.



**Target Sights.** The following sights are available for large (N) and medium (K) frame models with full length barrel rib.

- A. 1/8" Patridge on ramp base or blade only.
- B. 1/8" Baughman Quick Draw on ramp base.
- C. 1/8" Call Gold Bead on ramp base or blade only.
- D. 1/8" McGivern Gold Bead on ramp base or blade only.
- E. 1/8" S&W Red Ramp on ramp base.
- F. 1/8" S&W Red Post on ramp base.
- G. S&W Micrometer Click Rear Sight with 1/8" rear sight slide.
- H. S&W Micrometer Click Rear Sight with 1/8" white outline rear sight slide.
- I. 1/8" White Outline Rear Sight Slide

### Miscellaneous Accessories

- ☐ Adjustable Olympic counterweights for Model 41.
- ☐ Counterweights for Model 52.
- ☐ Extra magazines for Models 39, 41, 52 and 59.
- ☐ 5 1/2-inch M41 Heavy Barrel with Extendible Front Sight.
- ☐ 5- or 7 3/8-inch barrel, complete with sights, for Model 41.
- ☐ 5 1/2-inch heavy barrel, complete with sights, for Model 41.
- ☐ Oversize trigger guard for Model 41.
- ☐ .22 Short or .22 Long Rifle conversion kit for Model 41 available factory-installed and tested or parts only.
- ☐ .22 Magnum chamber insert for .22 Long Rifle rim fire.
- ☐ Muzzle brake for 1955 .45 Target or K-38.
- ☐ K-38 Single Action Kit.
- ☐ Halfmoon clip for .45 A.C.P.
- ☐ Cleaning rod (long or short).
- ☐ Wire brush (for .22, .38 or .45 calibers).
- ☐ Wool swab (for .22, .38 or .45 calibers).
- ☐ Sight-adjusting screwdriver.
- ☐ Grip adapter (small, medium or large).
- ☐ .22 L.R. auxiliary cylinder for models 48, 51 and 53, factory installed and tested.
- ☐ Mahogany presentation case for .41 and .44 Magnums.
- ☐ Butt Swivel with pin.

### SMITH & WESSON PUBLIC SAFETY PRODUCTS AND SPORTING GOODS.

Ammunition, Ammunition Reloading Components, Body Armor, Breathalyzer® Breath Testing Equipment, Distress Flares and Smoke Signals, Emergency Vehicle Lights, Gas Masks, Gun Locks, Handcuffs, Handguns, Helmets, Holsters, Belts and Accessories, Identi-Kit® Identification Systems, Sporting Knives, Line Throwers, Mace® Non-Lethal Weapons, Pellet Guns, Pepper Fog® Smoke Generating Equipment, Police Training Academy, Shotguns, Sirens, Speakers, Speed Control Equipment (Digidar®), Star-Tron® Night Vision Equipment, Tear Gas Grenades and Shells, Tear Gas Guns and Launchers.